



538A,538C/D SOURCE GUIDE



538A,538C/D Single Split Condensing Unit



Features and Benefits

- Compact Design and Small Footprint
- Blow-Through Horizontal Discharge
- Low Sound Levels
- Capacitor Start System Starts Quickly, Reliably
- High-Efficiency Fan Motor Operates Efficiently; Built-in Overheat Protection
- High- and Low-Pressure Switches Monitor Compressors Continuously
- High-Efficiency Scroll Compressors Provide Years of Quiet, Trouble-Free Operation

Specifications

MODEL	CAPACITY (Btu/h)		SEER	HSPF	POWER SUPPLY		CFM	DIMENSIONS INDOOR (in.)			DIMENSIONS OUTDOOR (in.)			REFRIGERANT TUBING				WEIGHT (lbs)	
	Cooling	Heating			Indoor	Outdoor		W	D	H	W	D	H	Max Vert Lift (ft)*	Max Tub Lgth (ft)	TUBING OD (in.)		Indoor	Outdoor
																Liquid	Gas		
COOLING COIL HIGHWALL																			
538CAX009000	8500	—	10.5	—	115-1-60	115-1-60	240	33.46	6.29	11.02	26.10	8.90	23.25	30	35	1/4	1/2	18.7	55.0
538CNX012000	11600	—	11.0	—	208/230-1-60	208/230-1-60	260	36.61	7.28	11.81	26.10	8.90	23.25	30	35	1/4	1/2	24.2	62.0
538ANX018000	17300	—	11.3	—	208/230-1-60	208/230-1-60	550	45.28	8.66	14.17	36.94	14.56	25.12	150	200	3/8	5/8	38.5	148.0
538ANX024000	22600	—	12.0	—	208/230-1-60	208/230-1-60	570	45.28	8.66	14.17	36.94	14.56	25.12	150	200	3/8	5/8	42.9	160.0
UNDERCEILING																			
538ANX018000	18000	—	12.0	—	208/230-1-60	208/230-1-60	500	50.94	23.12	9.94	36.94	14.56	25.12	150	200	3/8	5/8	108.0	150.0
538ANX024000	22800	—	12.0	—	208/230-1-60	208/230-1-60	600	50.94	23.12	9.94	36.94	14.56	25.12	150	200	3/8	5/8	108.0	154.0
538ANX030000	30000	—	12.0	—	208/230-1-60	208/230-1-60	840	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	3/4	117.0	169.0
538ANX036000	34000	—	12.0	—	208/230-1-60	208/230-1-60	840	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	7/8	117.0	179.0
538APX036000	34000	—	12.0	—	208/230-1-60	208/230-3-60	840	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	7/8	117.0	179.0
538AEX036000	34000	—	12.0	—	208/230-1-60	460-3-60	840	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	7/8	117.0	179.0
538ANX048000	47000	—	12.0	—	208/230-1-60	208/230-1-60	1200	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	149.0	270.0
538APX048000	47000	—	12.0	—	208/230-1-60	208/230-3-60	1200	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	149.0	270.0
538AEX048000	47000	—	12.0	—	208/230-1-60	460-3-60	1200	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	149.0	270.0
538ANX060000	58000	—	12.0	—	208/230-1-60	208/230-1-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	179.0	290.0
538APX060000	58000	—	12.0	—	208/230-1-60	208/230-3-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	179.0	290.0
538AEX060000	58000	—	12.0	—	208/230-1-60	460-3-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	179.0	290.0
CASSETTE																			
538ANX018000	18300	—	11.0	—	208/230-1-60	208/230-1-60	525	26.00	26.00	11.75	36.94	14.56	25.12	150	200	3/8	5/8	61.6	150.0
538ANX024000	24000	—	11.0	—	208/230-1-60	208/230-1-60	915	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	5/8	105.8	154.0
538ANX030000	30000	—	10.8	—	208/230-1-60	208/230-1-60	915	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	3/4	105.8	169.0
538ANX036000	33000	—	10.8	—	208/230-1-60	208/230-1-60	915	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	7/8	105.8	179.0
538APX036000	33000	—	10.8	—	208/230-1-60	208/230-3-60	915	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	7/8	105.8	179.0
538AEX036000	33000	—	10.8	—	208/230-1-60	460-3-60	915	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	7/8	105.8	179.0
HEAT PUMP HIGHWALL																			
538DAX009000	8700	9000	10.0	6.8	115-1-60	115-1-60	240	33.46	6.29	11.02	26.10	8.90	23.25	30	35	1/4	1/2	18.7	60.7
538DNX012000	12500	12500	10.5	6.8	208/230-1-60	208/230-1-60	260	36.61	7.28	11.81	26.10	8.90	23.25	30	35	1/4	1/2	24.2	66.5
538DNX018000	17300	16900	11.5	6.8	208/230-1-60	208/230-1-60	530	45.28	8.66	14.17	36.94	14.56	25.12	150	200	3/8	5/8	38.5	154.0
538DNX024000	23200	21400	11.0	6.8	208/230-1-60	208/230-1-60	510	45.28	8.66	14.17	36.94	14.56	25.12	150	200	3/8	5/8	42.9	167.0
UNDERCEILING																			
538BNX018000	19000	17000	11.0	7.2	208/230-1-60	208/230-1-60	500	50.94	23.12	9.94	36.94	14.56	25.12	150	200	3/8	5/8	110.0	154.0
538BNX024000	24000	22600	11.0	7.3	208/230-1-60	208/230-1-60	525	50.94	23.12	9.94	36.94	14.56	25.12	150	200	3/8	5/8	110.0	167.0
538BNX030000	30000	28000	11.0	7.4	208/230-1-60	208/230-1-60	870	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	3/4	119.0	180.0
538BNX036000	34600	33000	11.5	7.2	208/230-1-60	208/230-1-60	870	58.81	23.12	9.94	36.94	14.56	25.12	150	200	3/8	7/8	119.0	184.0
538BPX036000	36000	34400	11.0	6.8	208/230-1-60	208/230-3-60	870	58.81	23.12	9.94	44.56	17.06	37.19	150	200	3/8	3/4	119.0	249.0
538BEX036000	36000	34400	11.0	6.8	208/230-1-60	460-3-60	870	58.81	23.12	9.94	44.56	17.06	37.19	150	200	3/8	3/4	119.0	249.0
538BNX048000	46000	45500	10.2	7.3	208/230-1-60	208/230-1-60	1100	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	151.0	252.0
538BPX048000	46000	45500	10.2	7.3	208/230-1-60	208/230-3-60	1100	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	151.0	252.0
538BEX048000	46000	45500	10.2	7.3	208/230-1-60	460-3-60	1100	71.56	23.12	9.94	44.56	17.06	37.19	150	200	3/8	7/8	151.0	252.0
538BNX060000	58000	57500	11.0	7.4	208/230-1-60	208/230-1-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	181.0	272.0
538BPX060000	58000	57500	11.0	7.4	208/230-1-60	208/230-3-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	181.0	272.0
538BEX060000	58000	57500	11.0	7.4	208/230-1-60	460-3-60	1600	92.00	23.12	9.94	44.56	17.06	37.19	150	200	3/8	1 1/8	181.0	272.0
CASSETTE																			
538BNX018000	18000	17600	10.0	6.8	208/230-1-60	208/230-1-60	525	26.00	26.00	11.75	36.94	14.56	25.12	150	200	3/8	5/8	66.1	154.0
538BNX024000	25000	23800	10.7	7.6	208/230-1-60	208/230-1-60	980	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	5/8	109.6	167.0
538BNX030000	29000	27000	11.5	7.6	208/230-1-60	208/230-1-60	980	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	3/4	109.6	180.0
538BNX036000	33000	33000	10.5	6.8	208/230-1-60	208/230-1-60	1100	49.62	26.00	11.75	36.94	14.56	25.12	150	200	3/8	7/8	118.8	184.0
538BPX036000	34400	34000	10.0	6.8	208/230-1-60	208/230-3-60	1100	49.62	26.00	11.75	36.94	17.17	37.19	150	200	3/8	3/4	118.8	249.0
538BEX036000	34400	34000	10.0	6.8	208/230-1-60	460-3-60	1100	49.62	26.00	11.75	36.94	17.17	37.19	150	200	3/8	3/4	118.8	249.0

* Maximum height difference depends on configuration. Refer to Service and Installation instructions.



residential/ hvac commercial



[residential hvac](#) / [commercial hvac](#) / [about us](#) / [what's new](#)

Welcome to Barker Mechanical Services Inc. Our HVAC firm has been serving the San Francisco Bay Area for over 50 years and provides residential and commercial air conditioning and heating installation, maintenance and repair.

We look forward to serving your heating & cooling needs!

Joe Barker, President

6800 Sierra Court Suite L
Dublin, CA 94568

925-560-0280 phone
925-560-0288 fax

info@barkermech.com email