


661C SOURCE GUIDE



661C036-060



661C
Split System
Heat Pump
Sizes 036-060

Features and Benefits

- High-Efficiency Compressor Operates Quietly, Reliably and Economically
- Low Pressure Switch Protects the Compressor From Loss of Charge Damage and Increases Compressor Reliability
- High-Efficiency Fan Motor Provides Quiet, Efficient Air Movement
- Corrosion-Resistant Drain Base Pan Allows Proper Drainage of Dirt, Debris and Water
- Accumulator Ensures Reliable System Operation by Storing Excess Compressor Charge

**SIZING AND
SELECTION CHART**

Physical Data

| MODEL | PERFORMANCE* | | | ELECTRICAL (V-Ph-Hz) | DIMENSIONS (In.) | | | APPROX. SHIP. WEIGHT |
|---------|-------------------------------|------------|------|-------------------------|---------------------|----|----|----------------------------|
| | NOMINAL CAPACITY (Tons) | EFFICIENCY | | | W | H | D | |
| | | SEER | HSPF | | | | | |
| 661C036 | 3.0 | 10.0 | 7.50 | 208/230-3-60 | 30 | 40 | 30 | 218 |
| 661C036 | 3.0 | 10.0 | 7.50 | 460-3-60 | 30 | 40 | 30 | 218 |
| 661C042 | 3.5 | 10.0 | 7.00 | 208/230-3-60 | 30 | 34 | 30 | 214 |
| 661C042 | 3.5 | 10.0 | 7.00 | 460-3-60 | 30 | 34 | 30 | 214 |
| 661C048 | 4.0 | 10.0 | 7.50 | 208/230-3-60 | 30 | 34 | 30 | 224 |
| 661C048 | 4.0 | 10.0 | 7.50 | 460-3-60 | 30 | 34 | 30 | 224 |
| 661C060 | 5.0 | 10.5 | 7.50 | 208/230-3-60 | 30 | 34 | 30 | 260 |
| 661C060 | 5.0 | 10.5 | 7.50 | 460-3-60 | 30 | 34 | 30 | 260 |

* When used with matching fan coil as listed in ARI Directory.





residential/ hvac commercial



[residential hvac](#) / [commercial hvac](#) / [about us](#) / [what's new](#)

Welcome to Barker Mechanical Services Inc. Our HVAC firm has been serving the San Francisco Bay Area for over 50 years and provides residential and commercial air conditioning and heating installation, maintenance and repair.

We look forward to serving your heating & cooling needs!

Joe Barker, President

6800 Sierra Court Suite L
Dublin, CA 94568

925-560-0280 phone
925-560-0288 fax

info@barkermech.com email